REMFORM® II™ "F" SCREWS For Magnesium, Aluminum & High Reinforced Plastics





REMFORM[®] II™ "F" Screws


Designed Primarily for Magnesium Applications

The REMFORM® II™ "F" screw utilizes the efficient thread form of the standard REMFORM® II™ fastener, but employs finer thread pitch spacing to suit magnesium, soft aluminum, thermoset plastics, and other low ductility materials. The narrow tip angle minimizes the disturbance of a low ductility nut member. The finer thread spacing of REMFORM® II™ "F" screws is advantageous in thermoplastic applications where the length of engagement is less than optimal.

Leaders in Lowering the Cost of Assembly

REMFORM® II™ "F" SCREWS SCREW DIMENSIONS





Metric Series

SIZE	PITCH	MAJOI	MINOR DIA.	
mm	mm	Max.	Min.	Min.
1.0	0.30	1.07	1.00	0.68
1.2	0.40	1.27	1.20	0.81
1.4	0.45	1.47	1.40	0.95
1.6	0.50	1.70	1.60	1.08
1.8	0.55	1.90	1.80	1.22
2.0	0.60	2.10	2.00	1.33
2.2	0.70	2.30	2.20	1.47
2.5	0.70	2.60	2.50	1.68
3.0	0.80	3.10	3.00	2.02
3.5	0.95	3.60	3.50	2.37
4.0	1.05	4.10	4.00	2.71
5.0	1.25	5.15	5.00	3.40
6.0	1.40	6.15	6.00	4.09
7.0	1.55	7.15	7.00	4.78
8.0	1.75	8.15	8.00	5.46
10.0	2.25	10.15	10.00	6.82

Dimensions in mm

Inch Series

IIICII Jelles				
SIZE	PITCH	MAJOR DIA.		MINOR DIA.
	TPI	Max.	Min.	Min.
2	40	0.088	0.084	0.057
4	32	0.114	0.110	0.074
6	27	0.139	0.135	0.092
8	24	0.167	0.161	0.109
10	21	0.193	0.187	0.127
12	19	0.218	0.212	0.144
1/4	17	0.253	0.247	0.168
5/16	14	0.316	0.309	0.209


Dimensions in inches



REMFORM® II™ "F" SCREWS HOLE SIZES FOR DIE CAST HOLES

CAST CORED HOLE


DRILLED HOLE



Screw	Cored Hole Diameters				F Drilled Hole		Ld Recommended
Size	ØA - Top of		ØB - Bottom of		Diameter		Length
	Corec Max.	Hole Min.	Screw Eng Max.	gagement Min.	Max.	Min.	Of Thread Engagement
1.00 - 0.30	0.95	0.91	0.90	0.86	0.93	0.89	2.50
1.20 - 0.40	1.14	1.09	1.07	1.02	1.10	1.05	3.00
1.40 - 0.45	1.32	1.26	1.25	1.19	1.28	1.22	3.50
1.60 - 0.50	1.52	1.45	1.44	1.37	1.47	1.40	4.00
1.80 - 0.55	1.70	1.63	1.60	1.53	1.64	1.57	4.50
2.00 - 0.60	1.87	1.79	1.77	1.69	1.82	1.74	5.00
2.20 - 0.70	2.04	1.96	1.93	1.85	1.99	1.91	5.50
2.50 - 0.70	2.32	2.24	2.19	2.11	2.26	2.18	6.25
3.00 - 0.80	2.78	2.70	2.62	2.54	2.70	2.62	7.50
3.50 - 0.95	3.22	3.14	3.04	2.96	3.13	3.05	8.75
4.00 - 1.05	3.68	3.60	3.47	3.39	3.57	3.49	10.00
5.00 - 1.25	4.61	4.53	4.36	4.28	4.49	4.41	12.50
6.00 - 1.40	5.53	5.45	5.22	5.14	5.38	5.30	15.00
7.00 - 1.55	6.46	6.38	6.10	6.02	6.28	6.20	17.50
8.00 - 1.75	7.36	7.28	6.95	6.87	7.16	7.08	20.00
10.00 - 2.25	9.17	9.09	8.66	8.58	8.91	8.83	25.00

The Unique Radius Flank™ Thread Form

 $\mathsf{REMFORM}^{\scriptscriptstyle{(\! R)}}$ $\mathsf{II}^{\scriptscriptstyle{\mathsf{TM}}}$ "F" screws employ the Unique Radius $\mathsf{Flank}^{\scriptscriptstyle{\mathsf{TM}}}$ asymmetrical thread form shown in the drawing to the right. The leading thread flank is most influential in forming the mating thread. The intercepting radius form on the leading flank is there to promote efficient material displacement and material flow. The pressure flank which opposes the fastener head is engineered to resist pull-out forces, whether they be applied by a tensile load or induced by torque. The steep pressure flank has a subtle radius designed to increase resistance to pullout and to efficiently develop tension. It also provides excellent material contact resulting in a high resistance to the internal threads stripping. In applications where the failure mode is fastener fracture, the high torsional strength of REMFORM® II™ "F" fasteners ensures a high failure torque. This unique thread and its narrow tip angle efficiently displace material and therefore require minimal energy to form an internal thread. The tip also utilizes a radius to better create the internal thread without increasing hoop stress in the plastic.



REMFORM® ||TM "F" The asymmetrical Unique Radius Flank™ thread form has the thread- forming advantages of a 30° thread, without the difficulty of manufacturing a 30° thread.

DISCLAIMER CLAUSE

The values shown in this brochure are for guidance only. Their use and reliance thereon for any purpose by anyone is entirely voluntary and at the sole risk of the user. REMINC/ CONTI are not responsible for any loss, claim or damage resulting from their use. Consult our application engineers or the application engineering department of one of our many qualified producers for your specific application data.

TECHNICAL ASSISTANCE

This brochure contains basic information needed to achieve the cost-savings potential of REMFORM® II™ "F" fasteners.

To obtain further assistance and a list of qualified producers, visit our website at www.remform.com or contact REMINC or CONTI.

SPECIFY GENUINE PRODUCTS

Make sure you're getting genuine REMINC/CONTI design, engineering, quality, reliability and performance. Only genuine REMINC/CONTI products meet the rigorous standards created by REMINC/CONTI.

Patents and trademarks issued and/ or pending worldwide.



CONTI Fasteners AG

Albisstrasse 15, 6340 Baar (ZG) Switzerland Tel: +41 (0)41/761 58 22 Fax: +41 (0)41/761 3018 www.taptite.com

Email: conti@contifasteners.ch



Email: reminc@reminc.net